💷 Stage Line®

LSX-142SRGY - Laser Light Show



MetrixLine With the classic show lasers of the MetrixLine, it is possible to display clear geometrical patterns and figures without any difficulties due to the high-speed motors. Furthermore, with yellow, pink or cyan, selected models of this line provide fresh new colours. The units are conveniently controlled via DMX, music-controlled via an integrated adjustable microphone or via preset programmes. Thus, the units of the MetrixLine are ideally suited for clubs or discotheques and provide most impressive lighting effects. **Show laser effect unit**, with a red laser (100mW) and a green laser (40mW) which generate an additional yellow laser beam when mixed. The unit can be controlled via DMX or activated via sound. High-speed scanner motors (speed of scanner: 15,000 points/sec.) allow for a clear display of graphical patterns and figures. With DMX512 interface (17 DMX channels) and operation in stand-alone mode, music-controlled via DMX. The master/slave function allows for a simultaneous operation of several units. The address can be adjusted via menu buttons, indication via LED display. Supplied with key-operated switch for a safe operation and aluminium housing with movable mounting bracket and eyelet bolt for fastening a safety rope. The unit is a class 3b laser. The accessible laser radiation is hazardous to the human eye, often also to the skin! It is dangerous to look directly into the beam of class 3b lasers. It may be possible to view a beam safely via a

III Stage Line

diffusing reflector. When using a class 3b laser, the operator has to appoint a laser safety officer in writing (BGV B2 = German Accident Prevention & Insurance Association regulation B2)! Laser safety officers must have the requisite qualifications! An approval is required for class 3b lasers!

III Stage Line®

Technical data

Laser diodes Colours	: RG : RGY
Power rating (mW)	: 100/40
Wavelength (nm)	: 650/532
Laser class	: 3b
Motor	: scanner
kpps	: 15
Angle	: ±20°
LED floodlight	: -
Full graphics	: -
Geometrical patterns	: 80
Effects	: -
Graphics	: : X
Animated graphics	: -
DMX	: 17
ILDA	:-
Automatic show	: X
programme/Stand-alone	
Music show programmes	: X (adjustable)
Master/slave	: X
Zoom	: �
X/Y reflection	: X
Strobe	: X
Effect disks	: -
Display	: LED segment
DMX in	: X
DMX out	: X
Lock	: X
Remote/emergency off	:
ILDA in	:
ILDA out	:
Stand-alone control	:
DIP switches for address	:
Scanner adjustment	: -
Suspension device	: X
Supporting feet	: -

III Stage Line

Accessories Dimensions Weight Power supply Housing

- : -
- : 190x120x195mm
- : 1.7kg
- : 230V~/50Hz/25VA
- : metal